

**DUST COLLECTION SOLUTION FOR
SURFACE AND FLOOR PREPARATION**



WHY CHOOSE A DELFIN VACUUM?



- ✓ Safe dust **DISPOSAL**
- ✓ Extended working **AUTONOMY**
- ✓ **TIME SAVING**
- ✓ Compliance with **SAFETY STANDARDS**
- ✓ **EFFICIENCY** and **DURATION** even with intensive use
- ✓ **CERTIFIED QUALITY**
- ✓ **STRENGTH, VERSATILITY** and **USER-FRIENDLINESS**
- ✓ Certified safety for the **OPERATOR**
- ✓ **CUSTOMIZED** solutions



APPLICATIONS



Application with
FLOOR GRINDER



Application with
FLOOR SCARIFIER



Application with
SHOT BLASTER



Application with
MANUAL TOOL



FLOOR CLEANING
after work



Application with
**CORE DRILLING
MACHINE**





THE RANGE



		401 DRY -402 DRY	MTL 301 DUST	MTL 202 DS	DM3 EL	DG70 EXP PN	802 WD - 802WXP
Voltage	V-Hz	230-50 1-	230-50 1-	230-50 1-	230-50 3-	400-50 1-	230-50 1-
Power	kW	1,15 - 2,3	1,15	2,3	3,45	5,5	2,3
Max air flow	m ³ /h	180 - 360	180	360	540	530	360
Filter/Surface	cat/m ²	M PTFE + H	M PTFE/0,6	M PTFE/3	L/3	ANT M/8	Bag/0,8 + PPL - PPL 300
Collection system	lt	Container 20lt	Container 13lt	Container 20lt	Container 60lt	Container 100lt	Container 80lt
Filter cleaning system		/	DUSTOP	DUSTOP	Manual	Pneumatic	/
Dimensions and weight	cm-kg	38x48x80 -28	46x48x85h-25	59x48x110h-35	67x66x134h-70	66x118x187h-180	53x59x106h-50



XTRACTOR with Endless bag system


		MTL301 BAG	MTL 202 DS LP	DM3 EL LP	XTRACTOR 3BP	XTRACTOR 2BL	XTRACTOR 75AF	XTRACTOR 55
Voltage	V-Hz	230-50 1-	230-50 1-	230-50 1-	230-50 1-	230-50 1-	400-50 3-	400-50/60 1-
Power	kW	1,15	2,3	3,45	3,45	2,2	7,5	5,5
Max air flow	m ³ /h	180	360	540	540	430	700	1600
Filter/Surface	cat/m ²	PTFE/3 -Opz.H	M PTFE/3	ANT M/3	M PTFE/5,7	M PTFE/5,7	M PTFE/8	M PTFE/20
Telescopic vacuum			Si	Si	Si	Si	No	No
Collection system	lt	Endless bag	Endless bag 20 mt	Endless bag 20 mt	Endless bag 20mt	Endless bag 20mt	Endless bag 20mt	Endless bag 20mt/ Container 100lt
Filter cleaning system		DUSTOP	DUSTOP	Manual	Pneumatic	Pneumatic	Pneumatic	Pneumatic
Dimensions and weight	cm-kg	68x55x136h-45	50x48x125h-50	80x66x155h-70	65x91x164h-140	65x91x172h-145	78x127x178h-215	86x190x161h-450

SPECIFIC SOLUTIONS FOR FLOOR PREPARATION



COMPACT WITH ADJUSTABLE HEIGHT

Thanks to gas springs, the height of several models can be adjusted to improve storage, mobility and transport, especially with compact vehicles.



ENDLESS BAG BAGGING SYSTEM

The Endless bag guarantees total safety when disposing of the dust, totally preventing contact with the operator. Its 22 mt. length guarantees outstanding time saving during disposal of the collected material.



M/H CATEGORY FILTERS WITH PTFE COATING

Increased vacuuming efficiency and working time.
Guaranteed safety for the operator.
Guaranteed cleanliness of the air returned into the environment.

Certified compliance with safety standards.



FILTRATION CERTIFICATES: TÜV/ HEPA/ H14/ ASBESTOS

Certified quality guaranteed by third party independent testing institute.



Also suitable for silica dust suctioning.



SEPARATORS

SAFE BAG SEPARATORS

Delfin offers a whole range of wheeled separators equipped with *endless bag* to allow safe dust collection and to prevent filter clogging

- ✓ Higher collection capacity
- ✓ Increased vacuum cleaner autonomy
- ✓ Higher dust filtration for engine protection



SEPARATOR FOR FINE DUST

For finest dust, Delfin offers the most compact separator with cyclone, able to work easily and efficiently in every working environment.

- ✓ Extremely compact for easy handling
- ✓ Lower filter saturation
- ✓ Greater safety for the operator in contact with dust



ACCESSORIES

Standard and anti-static floor cleaning accessory kits:



DELFIN SRL



STRADA DELLA MERLA, 49/A
10036 SETTIMO T.SE (TO) ITALY



T +39 011 800 55 00
F +39 011 800 55 06



DELFIN@DELFINVACUUMS.IT



DELFINVACUUMS.IT

Follow Us!

